



UDC 512.577

On Heredity of Formations of Monounary Algebras

A. L. Rasstrigin

Volgograd State Socio-Pedagogical University, Russia, 400066, Volgograd, Lenin Ave., 27, rasal@fizmat.vspu.ru

A class of algebraic systems is said to be a formation if it is closed under homomorphic images and finite subdirect products. It has been proven that any formation of at most countable monounary algebras is a hereditary formation.

Key words: unar, formation, hereditary formation.

References

1. Shemetkov L. A., Skiba A. N. *Formatsii algebraicheskikh sistem* [Formations of algebraic systems]. Moscow, Nauka, 1989, 256 p. (in Russian).
2. Rasstrigin A. L. Formations of finite monounary algebras. *Chebyshevskii Sbornik*, 2011, Vol. XII, no. 2 (38), pp. 102–109 (in Russian).
3. Mal'tsev A. I. *Algebraicheskie sistemy* [Algebraic systems]. Moscow, Nauka, 1970 (in Russian).
4. Kartashov V. K. Quasivarieties of unars. *Math. Notes*, 1980, vol. 27, pp. 5–12. DOI: 10.1007/BF01149807.
5. Wenzel G. H. Subdirect irreducibility and equational compactness in unary algebras $\langle A; f \rangle$. *Archiv der Mathematik*, 1970, vol. 21, pp. 256–264. DOI: 10.1007/BF01220912.